

**HYDRONIC B5 SC** GASOLINE COOLANT HEATER - 17,100 BTU  
**HYDRONIC D5 SC** DIESEL COOLANT HEATER - 17,100 BTU

**SCOPE OF DELIVERY**

If installation is more than 6 feet from the fuel tank, kits with external fuel pumps are required.

DESCRIPTION	PART NUMBER	Heater	Harness	Fuel System *	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit <sup>o</sup>	Exhaust Pipe	Intake Pipe	Boxed	Manuals
<b>HYDRONIC D5 SC - DIESEL</b>													
Basic Heater 12 volt	25 2219 05 00 00	•											•
Universal Installation Kit 12 volt	25 2800 90 05 10		•	•	•	•			•	•	•		
Universal Installation Kit 12 volt w/Relay	25 2800 90 05 12		•	•	•	•			•	•	•		
Basic Heater 12 volt with External Fuel Pump	25 2325 05 00 00	•											•
Universal Installation Kit 12 volt	25 2800 90 05 11		•	•	•	•			•	•	•		
Basic Heater 24 volt	25 2147 05 00 00	•											•
Universal Installation Kit 24 volt	25 2009 80 00 00		•	•	•	•			•	•	•		
<b>HYDRONIC D5SC (INTERNAL FMP) TRUCK KITS - DIESEL</b>													
12 volt Kit	25 2822 19 05 20	•	•	•		•		•	•	•	•		•
12 volt Kit with 7 day timer <i>RECOMMENDED</i>	25 2822 19 05 21	•	•	•		•	•	•	•	•	•		•
12 volt Boxed Kit	25 2822 19 05 40	•	•	•		•		•	•	•	•	•	•
12 volt Boxed Kit with 7 day timer <i>RECOMMENDED</i>	25 2822 19 05 41	•	•	•		•	•	•	•	•	•	•	•
12 volt Boxed Kit with 7 day timer & vent tube pick-up pipe	25 2822 19 05 51	•	•	•		•	•	•	•	•	•	•	•
12 volt Boxed Kit with no pick-up pipe	25 2822 19 05 56	•	•	•		•		•	•	•	•	•	•
<b>HYDRONIC D5SC (EXTERNAL FMP) TRUCK KITS - DIESEL</b>													
12 volt Kit	25 2823 25 05 20	•	•	•		•		•	•	•	•		•
12 volt Kit with 7 day timer <i>RECOMMENDED</i>	25 2823 25 05 21	•	•	•		•	•	•	•	•	•		•
12 volt High altitude with mini timer	25 2823 25 05 23	•	•	•		•	•	•	•	•	•		•
12 volt Boxed Kit	25 2823 25 05 40	•	•	•		•		•	•	•	•	•	•
12 volt Boxed Kit with 7 day timer <i>RECOMMENDED</i>	25 2823 25 05 41	•	•	•		•	•	•	•	•	•	•	•
<b>HYDRONIC D5 SC OFF-HIGHWAY KITS - DIESEL</b>													
24 volt with External Fuel Pump	25 2821 47 05 20	•	•	•		•		•	•	•	•		•
24 volt with External Fuel Pump and timer	25 2821 47 05 21	•	•	•		•	•	•	•	•	•		•
Boxed 24 volt with External Fuel Pump	25 2821 47 05 55	•	•	•		•		•	•	•	•	•	•
Boxed 24 volt with External Fuel Pump and timer	25 2821 47 05 57	•	•	•		•	•	•	•	•	•	•	•
<b>HYDRONIC D5 SC AUTOMOTIVE PICK-UP KITS - DIESEL</b>													
12 volt with 7 day timer	25 2822 19 05 22	•	*	•	•	•	•	•	•	•	•		•
<b>HYDRONIC B5 SC - GASOLINE</b>													
Basic Heater 12 volt with external fuel pump	20 1820 05 00 00	•											•
Universal Installation Kit 12 volt	25 2800 90 05 11		•	•	•	•			•	•	•		
<b>HYDRONIC B5SC TRUCK KIT - GASOLINE</b>													
12 volt with External Fuel Pump	20 2818 20 05 20	•	•	•		•		•	•	•	•		•
<b>HYDRONIC B5 SC AUTOMOTIVE PICK-UP KIT - GASOLINE</b>													
12 volt with External Fuel Pump	20 2818 20 05 22	•	*	•	•	•	•	•	•	•	•		•
<b>HYDRONIC 4/5 SC COOLANT PUMP SERVICE KIT</b>													
	25 2800 60 00 05												

• = includes blower relay connection  
 \* = harness has blower relay

Refer to the Accessories Section for ducting components and additional accessories.  
 For the addition of cab heat, refer to the Combo Truck Kits Section.

1  
2  
3

**HYDRONIC 5 SC** DIESEL COOLANT HEATER - 17,100 BTU

**Spare parts**

25 2219 05 00 00

**HYDRONIC 5 SC** DIESEL COOLANT HEATER - 17,100 BTU W/EXTERNAL FUEL PUMP

25 2325 05 00 00

The parts shown are for the most common 12V model heater of this type - model #-, top right corner

DESCRIPTION	PART NUMBER
Combustion Air Blower	20 1759 99 1500
Electronic Control Unit (HYDRONIC 4)	22 5201 03 0001
Electronic Control Unit (HYDRONIC 5)	22 5201 01 9002
Coolant Pump	25 2219 25 0000
Glow Pin with Cable	25 2106 01 1000
Fuel Metering Pump internal	22 4504 03 0000
Fuel Metering Pump external	22 4517 04 0000
Flame Sensor	25 1920 35 0000
Overheat Sensor with Cable	25 2219 01 2000
Fuse 25A Blade Type	204 00 089
Flexible Exhaust Tube, 24mm	360 61 550
Timer, 7-Day	22 1000 30 3600
Programmable Timer, 12 Volt	5670433
Fuel Pump Screen	20 1312 00 00 06



Spare parts shown are common for Hydronic 4 + 5 heaters.  
 Hydronic 5 Heaters used in ParkSmart + Max Power Systems may have a different control unit.  
 Please refer to serial # on heater.

1  
2  
3

# PICK-UP TRUCK KITS

## HYDRONIC D5 DIESEL COOLANT HEATER - 17,100 BTU

### SCOPE OF DELIVERY

If installation is more than 6 feet from the fuel tank, kits with external fuel pumps are required.

DESCRIPTION	PART NUMBER	Heater	Harness	Fuel System	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit	Exhaust Pipe	Intake Pipe	Boxed	Manuals
<b>PICK-UP TRUCK KITS (AFTER MARKET)</b>													
<b>DODGE KITS</b>													
2003 - 2007 5.9 L with mini timer	25 2822 19 05 32	•	*	•		•	•	•	•	•	•		•
2007 - 2008 6.7 L with mini timer	25 2800 10 05 35	•	*	•		•	•	•	•	•	•		•
<b>GM DURAMAX KITS</b>													
Frame dimensions not larger than 225mm high, 77mm wide													
Mini Timer and external FMP Right side mount	25 2823 25 05 75	•	•	•		•	•	•	•	•	•		•
<b>FORD POWERSTROKE KITS</b>													
Frame rail dimensions not larger than 204mm high, 77mm wide													
Mini timer and external FMP	25 2823 25 05 85	•	•	•		•		•	•	•	•		•
<b>UNIVERSAL PICK UP TRUCK INSTALLATION KIT</b>													
D5E Diesel Pick Up Truck kit	25 2825 26 05 22	•	•	•		•		•	•	•	•		•
B5E Gasoline Pick Up Truck kit	25 2819 04 05 00	•	•	•	•	•		•	•	•	•		•
<b>SPRINTER CONVERSION KIT WITH MINI-TIMER</b>													
Converts auxiliary heater into preheater (2006 and earlier models)	24 0212 00 00 00												
<b>RELATED PARTS</b>													
Blower Control Module 12/24V	25 2800 70 40 40												
Mini Timer (Green Display)	22 1000 31 60 00												
EasyStart T Controller	22 1000 32 88 00												

\* = harness has blower relay



**Hardware Kit INCLUDES:**

- Fuel Clamps
- Nuts
- Cable Ties
- Grommets
- Exhaust Clamps
- Mounting Screws

- Ducting Clamps
- Washers
- Routing Clamps

- End Caps
- Exhaust Brackets

**Fuel System INCLUDES:**

- Clamps
- 5mm Fuel Line
- Plastic Fuel Line
- 3.5mm Fuel Line

For spare parts refer to Hydronic D5 listing on page 13  
 Refer to the Accessories Section for ducting components and additional accessories.


1  
2  
3

**HYDRONIC II B5 E** GASOLINE COOLANT HEATER - 17,100 BTU  
**HYDRONIC II D5 E** DIESEL COOLANT HEATER - 17,100 BTU

**SCOPE OF DELIVERY**

DESCRIPTION	PART NUMBER	Heater	Harness	Fuel System	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit	Exhaust Pipe	Intake Pipe	Boxed	Manuals
<b>HYDRONIC II D5 E - DIESEL</b>													
Basic Heater 12 volt	25 2526 05 00 00	•											•
JE Universal installation kit 12 volt	25 2526 80 00 00		↔	•	•	•		•	•	•	•		
<b>HYDRONIC II D5E TRUCK KIT - DIESEL</b>													
12 volt with External Water and Fuel Pump	25 2825 26 05 20	•	•	•		•		•	•	•	•		•
12 volt Automotive installation kit	25 2825 26 05 22	•	•	•	•	•		•	•	•	•		•
Boxed 12 volt with External Water and Fuel Pump	25 2825 26 05 40	•	•	•		•		•	•	•	•	•	•
<b>HYDRONIC II B5E - GASOLINE</b>													
Basic Heater 12 volt	20 1904 05 00 00	•											•
12 volt Automotive Kit	25 2819 04 05 00	•	•	•	•	•		•	•	•	•		•
JE Universal installation kit 12 volt	25 2526 80 00 00		•	•	•	•		•	•	•	•		

↔ = Includes blower relay connection



**HYDRONIC B5 S** GASOLINE COOLANT HEATER - 17,100 BTU  
**HYDRONIC D5 S** DIESEL COOLANT HEATER - 17,100 BTU

**SCOPE OF DELIVERY**

If installation is more than 6 feet from the fuel tank, kits with external fuel pumps are required.

DESCRIPTION	PART NUMBER	Heater	Harness	Fuel System	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit	Exhaust Pipe	Intake Pipe	Boxed	Manuals
<b>HYDRONIC D5 S - DIESEL</b>													
Basic Heater 12 volt	25 2217 05 00 00	•											•
Basic Heater 12 volt w/Universal install kit	25 2386 05 00 00	•	→	•	•	•			•	•	•		•
Basic Heater 24 volt	25 2218 05 00 00	•											•
Universal Installation Kit 24 volt (Limited Stock)	25 2218 80 00 00			•	•	•			•	•	•		
Basic Heater 24 volt	25 2146 05 00 00	•											•
Universal Installation Kit 24 volt	25 2009 80 00 00		→	•	•	•			•	•	•		
<b>HYDRONIC D5S TRUCK KIT - DIESEL</b>													
12 volt with External Water and Fuel Pump	25 2822 17 05 20	•	•	•		•		•	•	•	•		•
12 volt with External Water and Fuel Pump with timer	25 2822 17 05 21	•	•	•		•	•	•	•	•	•		•
Boxed 12 volt with water pump and fuel pump mounted inside box	25 2822 17 05 45	•	•	•		•		•	•	•	•	•	•
Boxed 12 volt with water pump mounted outside box	25 2822 17 05 40	•	•	•		•		•	•	•	•	•	•
<b>HYDRONIC D5S OFF-HIGHWAY KIT - DIESEL</b>													
24 volt with External Water and Fuel Pump	25 2822 18 05 20	•	•	•		•		•	•	•	•		•
<b>HYDRONIC B5 S - GASOLINE</b>													
Basic Heater 12 volt with external water and fuel pump	20 1819 05 00 00	•											•
<b>HYDRONIC B5 S - GASOLINE</b>													
12 volt with external water and fuel pump with universal installation kit	20 1862 05 00 00	•	→	•	•	•		•	•	•	•		•

→ = includes blower relay connection

1  
2  
3

## AIRTRONIC 2 / HYDRONIC 5 Combo Kits DIESEL 12 volt only

### SCOPE OF DELIVERY

SCOPE OF DELIVERY			Heater	Harness	Fuel System	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit	Exhaust Pipe	Intake Pipe	Boxed	Manuals
DESCRIPTION	PART NUMBER													
<b>AIRTRONIC 2 / HYDRONIC 5 SC - DIESEL</b>														
Truck Kit	INCLUDES:	7-Day Timer Thermostat 12 volt	20 2812 15 20 50	•	•	•	•	•	d	•	•	•		•
Truck Kit	INCLUDES:	7-Day Timer Mini Controller	20 2812 15 20 56	•	•	•	•	•	d	•	•	•		•
Truck Kit with External Fuel Pump	INCLUDES:	7-Day Timer Mini Controller	20 2812 15 20 58	•	•	•	•	•	d	•	•	•		•
Boxed Truck Kit	INCLUDES:	7-Day Timer Mini Controller	20 2812 15 20 57	•	•	•	•	•	d	•	•	•	•	•
<b>AIRTRONIC 2 / HYDRONIC 5 S - DIESEL</b>														
Truck Kit	INCLUDES:	7-Day Timer Mini Controller	20 2812 15 20 63	•	•	•	•	•	d	•	•	•		•
Boxed Truck Kit	INCLUDES:	7-Day Timer Digi-Max Controller	20 2812 15 20 60	•	•	•	•	•	d	•	•	•	•	•
<b>AIRTRONIC 2 / HYDRONIC 5 E - DIESEL</b>														
Truck Kit		No Timer Digi-Max Controller	20 2812 15 20 61	•	•	•	•	•	d	•	•	•		•
Boxed Truck Kit		No Timer Digi-Max Controller	20 2812 15 20 62	•	•	•	•	•	d	•	•	•	•	•

d = double fuel Pick-up pipe

# AIRTRONIC 4 / HYDRONIC 5

## Combo Kits DIESEL 12 Volt only

### SCOPE OF DELIVERY

DESCRIPTION	PART NUMBER	Heater	Harness	Fuel System	Coolant Hose	Mounting Bracket	Control Options / Timers	Fuel Pickup Pipe	Hardware Kit	Exhaust Pipe	Intake Pipe	Boxed	Manuals
<b>AIRTRONIC 4 / HYDRONIC 5 - Carb Approved</b>													
Truck Kit	INCLUDES: 7-Day Timer Mini Controller	20 2812 15 40 50	•	•	•	•	•	d	•	•	•	•	•
Boxed Truck Kit	INCLUDES: 7-Day Timer Mini Controller	20 2812 15 40 51	•	•	•	•	•	d	•	•	•	•	•